
FIRE PROTECTION CABINET - ARCHITECTURAL: AMBASSADOR SERIES - Steel

As a leader in the industry, JL Industries offers our best-selling traditional and specified durable steel cabinet: The Ambassador Series. Available with a wide variety of options and accessories, this cabinet will meet all your project needs.



SPECIFICATIONS:

Tub Material: Based on size

20 ga: Cold Rolled Steel (CRS) white powder coat; 40 tub 22 ga: Cold Rolled Steel (CRS) white powder coat; 81, 17, 20, 30 tub

24 ga: Galvanized painted white; 10, 18 tub

Trim Material & Finish: based on style; white powder coat **18 gauge cold rolled steel:** Semi-recessed rolled trim with projection: 2-1/2", 3", 4", and 4-1/2"

20 gauge cold rolled steel: Full recessed 3/8" square flat trim, semi-recessed 1-1/4", 1-1/2", and 2-1/4" square trim, surfacemount square trim, surface-mount rolled trim

Door Material & Finish: 20 gauge cold rolled steel; white powder coat

Glazing: .090" Clear acrylic

Hinge: Continuous hinge, white, cold rolled steel, opens to 180° Hardware: Zinc plated pull handle with roller catch or cylinder Saf-T-Lok™

ADA Compliance: Cabinet cannot protrude more than 4" and the handle cannot be mounted more than 48" above finished floor. Surface-mount and 4-½" trim style do not comply with ADA.

OPTIONS:

Door: Full, vertical duo, solid, horizontal

Glazing: 1/8" clear tempered, 1/4" clear wired glass, 1/8" bronze acrylic, 1/8" gray acrylic, 1/4" clear laminated safety glass

Handles: Recessed handle, magnetic catch

Alarms: Commander alarm, Brigadier alarm, Strobe alarm

Material: Satin chrome, galvanneal


Finish: Red, black, other powder coat colors **Lettering:** Silkscreen, engraving, etching

ADDITIONAL ACCESSORIES (sold separately)


Die cuts, decals, plastic signs


See supplemental submittals for more information on various options and accessories.

Interpretation of fire and building codes may vary. Consult with the local authority having jurisdiction (AHJ) to determine appropriate standards.



COMPATIBLE	N	MODEL & TRIM	ADA	T	UB I. D.		TRIM	O. D.		LL ROU PENIN		WT
FIRE EXTINGUISHERS	MODEL	TRIM PROJECTION	≤4"	WIDTH (A)	HEIGHT (B)	DEPTH (C)	WIDTH (E)	HEIGHT (F)	WIDTH (W)	HEIGHT (H)	DEPTH (D)	LBS
	C8115	3/8" flat square	✓								5-%"	4.4
Cosmic, Galaxy 2.5 - 6 lb	C8116	1-½" square	✓	9"	18"	5-1/2"			10"	19"	4-1/8"	
(mount 6 lb to tub)	C8117	2-½" rolled	✓				12-¾"	21-%"			3-1/8"	12
Mercury 2.5 - 5 lb	C8113	surface-mount square		12-3/16"	21-3/16"	6"						12
	C8119	surface-mount rolled		12-3/16"	21-3/16"	6			-	-	-	13
Cosmic, Galaxy Mercury 2.5 - 5 lb	C1710	2-¼" square	✓	10-½"	24"	5-½"	13-%"	27-%"	11-½"	25"	3"	18
	C1815	3/8" flat square	✓								5-%"	1.0
	C1816	1-½" square	✓								4-1/8"	16
Cosmic/Galaxy 2.5 - 6 lb	C1817	3" rolled	✓	10-1⁄2"	24"	5-1/2"	40.7/11	27 2/11	11-1/2"	25"	2-%"	18
(mount 6 lb to tub) Mercury 2.5 - 5 lb	C1812	4" rolled w/ rec hndl	✓				13-%"	27-%"			1-%"	19
	C1818	4-½" rolled									1-1/8"	20
	C1813	surface-mount square		13-11/16"	27-3/16"	6"	1		-	-	-	13 18 16 18 19 20 21 17 18 19 20 18 23 24 25 27 28
	C1015	3/8" flat square	✓								5-%"	
	C1016	1-½" square	✓								4-%"	17
Cosmic, Galaxy 2.5 - 10 lb Mercury 2.5 - 5 lb		3" rolled	✓	10-1/2"	24"	6"			11-1/2"	25"	3-1/8"	18
	C1012	4" rolled w/ rec hndl	✓				13-%"	27-%"			2-¾"	19
Sentinel 5 lb	C1018	4-½" rolled									1-5/8"	20
	C1013	surface-mount square										
	C1019	surface-mount rolled		13-11/16"	27-3/16"	6-1/2"			-	-	-	18
	C2015	3/8" flat square	√								7-%"	23
Cosmic, Galaxy	C2016	1-¼" square	✓								6-%"	24
(mount 20 lb to tub) Mercury 2.5 - 15 lb	C2017	2-½" rolled	✓	12"	27"	7-3/4"	15-¾"	30-¾"	13"	28"	5-¾"	25
(mount 15.5 lb to tub)	C2012	4" rolled w/ rec hndl	✓								4-1/8"	
Sentinel 5 - 10 lb	C2018	4-½" rolled									3-%"	27
Grenadier, Saturn, Nebula 270	C2013	surface-mount square		45 37 11	22.21.11	0.11	1					
Nebula 270	C2019	surface-mount rolled		15- ³ / ₁₆ "	30-3/16"	8"			-	-	-	28
	C3015	3/8" flat square	✓								7-%"	
Cosmic, Galaxy (mount 20 lb to tub)	C3016	1-¼" square	✓								6-%"	35
Mercury 2.5 - 15 lb	C3017	2-½" rolled	✓	16"	32"	7-3/4"			17"	33"	5-%"	
(mount 15.5 lb to tub)	C3012	4" rolled w/ rec hndl	✓				19-¾"	35-%"			4-1/8"	37
Sentinel 5 - 15 lb	C3018	4-½" rolled									3-¾"	
Grenadier, Saturn Nebula 250-272	C3013	surface-mount square		40.27.11	25.27.11	0.11	1					38
Nebula 250-272	C3019	surface-mount rolled		19- ³ / ₁₆ "	35-3/16"	8"			-	-	N/A	
	C4015	3/8" flat square	✓								7-%"	20
Two each of:	C4016	1-¼" square	✓								6-%"	36
Cosmic, Galaxy (FE20C) (mount 20 lb to tub)	C4017	2-½" rolled	✓	20"	27"	7-3/4"			21"	28"	5-%"	37
Mercury 2.5 - 15.5 lb	C4012	4" rolled w/ rec hndl	✓				23-%"	30-%"			4-1/8"	38
Sentinel 5 lb	C4018	4-½" rolled									3-%"	
Grenadier	C4013	surface-mount square		22.37.11	20.34 "	<u> </u>	1					39
Saturn	C4019	surface-mount rolled		23-3/16"	30-3/16"	8"			-	-	-	





FIRE PROTECTION CABINET - ARCHITECTURAL: AMBASSADOR SERIES - Steel

COMMON CABINETS

QTY	MODEL	DESCRIPTION
	C1017F10	3" RLD TRIM, FL VIEW, CLR ACR
	C1017V10	3" RLD TRIM, VERT, CLR ACR
	C1017G10	3" RLD TRIM, FL VIEW W SAFTLOK, CLR ACR
	C1017W10	3" RLD TRIM, VERT DUO W SAFTLOK, CLR ACR
	C1013F10	SURF MT, FL VIEW, CLR ACR
	C1013G10	SURF MT, FL VIEW W SAFTLOK , CLR ACR

GLAZING

QTY	MODEL	DESCRIPTION
	G10F17	1/8" CLR TEMPERED, 8-1/2" x 22-3/4"

For quick ship from warehouses, order separately with cabinet instead of made-to-order on cabinet.

Ex. Order C1017F10 and G10F17 instead of C1017F17

HANDLES

QTY	MODEL	DESCRIPTION
	PUF	FUTURA "FIRE" HANDLE, MILL
	PUFR	FUTURA "FIRE" HANDLE, RED
	PUFW	FUTURA "FIRE" HANDLE, WHITE
	PUCH	PULL HANDLE, CHROME





PUF PUFR PUFW

PUCH


PLASTIC SIGNS

QTY	MODEL	DESCRIPTION
	225	FE, 3D ANGLE, 4" x 12"
	235	FE, 3D TENT, 4" x 18"
	245	FE, 3D TENT, 5" x 6"
	25S	FE, FLUSH, 4" x 12"



LETTERING

QTY	MODEL	DESCRIPTION
	LDCVRFE	DIE CUT, VERT, RED, FIRE EXTINGUISHER, 3/4" x 18"
	LDCVBFE	DIE CUT, VERT, BLACK, FIRE EXTINGUISHER, 3/4" x 18"
	LDVRFE	DECAL, VERT, RED, FIRE EXTINGUISHER, 3/4" x 18"
	LDCVRFE-ESM-A	DIE CUT, VERT, RED, FIRE EXTINGUISHER (fits 81 tub), 3/4" x 14"
	LDCHRFE-2	DIE CUT, HORZ, RED, FIRE EXTINGUISHER, 2" HIGH, 4-1/2" x 21"



ALARMS

QTY	MODEL	DESCRIPTION
		BRIGADIER ALARM, MINI
	BA	THEFT STOPPER WITH
		DOOR POSITION SENSOR
	C-KIT-CA	COMMANDER ALARM KIT, includes alarm, 9V battery,
		& screws





C-KIT-CA

Refer to supplemental submittals for information on more options and accessories.

It is the responsibility of the customer to communicate specifications and product performance requirements that are needed for their application. This document is intended to convey potential product configurations and offerings. It is not to be used to imply or represent a specification or rating of finished products shipped. Detailed, specific submittals can be created upon request. It is the responsibility of the customer to specify product accordingly to comply with local laws, codes, and ordinances.

	LINE	TU'	B I.D. SIZE	D	OOR/TRIM MATE	ERIAL		TRIM PROJECTION		DOO	R/LATCH STYLE		GLAZI	NG	/DOOR T	YPE
C (Cabi	net)	81	9" x 18" x 5-½"	1	CRS, white powderco	coat (Std)	5	Fully recessed 3/8" square flat edge		F	Full view		10 .0	9" C	lear acrylic	:
		17	10-½" x 24" x 5"				6	Semi-recessed 1-¼" or 1-½" square edge		G	Full view w/ Saf-T-Lok™		13 1/	/4" C	lear wired	glass
		18	10-½" x 24" x 5-½"	l			0	Semi-recessed 2-¼" square edge (1700 series on	ıly)	D	Horizontal duo		15 1/	/8" E	Bronze acry	rlic
		10	10-½" x 24" x 6"	1			7	Semi-recessed 2-½"or 3" rolled edge		E	Horizontal duo w/ Saf-T-Lok™		16 1/	/8" C	Gray acrylic	:
		20	12" x 27" x 7-¾"	l			2	Semi-recessed 4"rolled edge, recessed handle		V	Vertical duo		17 1/	/8" C	lear tempe	ered glass
		30	16" x 32" x 7-¾"	l			8	Semi-recessed 4-½" rolled edge		W	Vertical duo w/ Saf-T-Lok™		18 1/	/4" C	lear safety	y glass
		40	20" x 27" x 7-¾"				3	Surface-mount square edge (Std. for surface-mounted)		В	Small view window w/ Saf-T-Lok™		21 N w	o gla / pu	azing, no lo II (S21 only	ock v)
							9	Surface-mount rolled edge		S	Solid				azing, Saf-T II (L22 only	
										L	Solid w/ Saf-T-Lok™				azing, Saf-T o pull (L24	
									_							
_	HAND	LE/LATO	CH OPTIONS	A'	LARM OPTIONS			TERIAL OPTIONS			FINISH			_		LETTERING OPTIONS
	(none)	Standard	J handle		CA Commander	F2	F26D Satin chrome (not avail. on surface-mount) (n			(none) White door, trim, tub					2201	Silkscreen: SS-FELVR FIRE EXTINGUISHER, vertical, red
	A	Recessed	d handle		BA Brigadier				BK4	Blac	k door, trim, tub				SS01D*	Silkscreen: SS-FELVR FIRE EXTINGUISHER, vertical, red, on
	_ ^			T					R4	Red	door, trim, tub				SS01G*	Silkscreen: SS-FELVR FIRE EXTINGUISHER, vertical, red, on
→	111	Lever har (not avail	andle il. with Saf-T-Lok™)		SA Strobe]			- (R - OTHER (please sp		fy)		ET01	Etching: ET-FELVR FIRE EXTINGUISHER, vertical, red (fo
→	LH	(not avail Magnetic	il. with Saf-T-Lok™)	\perp	SA Strobe	_			<u>`</u>	Refe	r to supplemental subm	ittai				Time Extricted is related from the
>	LH	(not avail Magnetic	il. with Saf-T-Lok™) c latch s roller catch)		SA Strobe	_		Do	oor	Refe	r to supplemental subm	ittai			EN01	Engraving: EN-FELVR FIRE EXTINGUISHER, vertical, red (fo
→	LH MC FM	(not avail Magnetic (replaces Futura "F	il. with Saf-T-Lok™) c latch s roller catch)		SA Strobe	J				Refe	r to supplemental subm	ittai				

Refer to supplemental submittals for information on more options and accessories.

USE SECTION BELOW TO LIST OTHER CABINETS

QTY	MODEL NUMBER (ex: C1017F10A)	NOTES:

	TRIM STYLE & PROJECTION													
ı	RECESSED	SEMI-RECESSED SURFACE-MOUNT												
	5	6	0	7	2	8	3	9						
							ш	u						
	3/8"	1-¼" or 1-½"	2-1/4"	2-½" or 3"	4" Rolled w/	4-1/2"	5-½" to 8-¼"	5-½" to 8-¼"						
L	Flat Square	Square	Square	Rolled	Rec. Hndl	Rolled	Square	Rolled						